

attach Page 4

INFORMATION DISCLOSURE STATEMENT BY APPLICANT Modified PTO Form 1449	Docket No. 395/35	Serial No. 09/510,562
	Inventor(s) Gerard M. HOUSEY	
	Filing Date February 22, 2000	Group 1643-1644

U. S. PATENT DOCUMENTS

EXAMINER INITIAL	PATENT NUMBER	PATENT DATE	NAME	CLASS	SUBCLASS	FILING DATE*
<i>DL</i>	5,877,007	3/1999	Housey	—	—	
<i>DL</i>	5,688,655	11/1997	Housey	—	—	
<i>DL</i>	5,424,185	6/8/1998 ⁵	Lam et al.	—	—	
<i>DL</i>	5,266,464	11/1993	Housey	—	—	
<i>DL</i>	5,057,417	10/1991	Hammonds et al.	—	—	
<i>DL</i>	5,030,576	7/1991	Dull et al.	—	—	
<i>DL</i>	4,981,790	1/1991	Haseltine	—	—	
<i>DL</i>	4,980,281	12/1990	Housey	—	—	
<i>DL</i>	4,910,132	3/1990	Knight et al.	—	—	
<i>DL</i>	4,859,609	8/1989	Dull et al.	—	—	
<i>DL</i>	4,859,585	8/1989	Sonnenschein et al.	—	—	
<i>DL</i>	4,857,637	8/1989	Hammonds et al.	—	—	
<i>DL</i>	4,701,406	10/1987	Chou	—	—	
<i>DL</i>	4,569,916	2/1986	Penman et al.	—	—	
<i>DL</i>	4,532,204	7/1985	Crespi et al.	—	—	
<i>DL</i>	4,480,038	10/1984	Cheng	—	—	

* - If pertinent

FOREIGN PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
<i>DL</i>	WO 89/07654	8/1989	WIPO	—	—		
<i>DL</i>	WO 89/03687	5/5/89	WIPO	—	—		
<i>DL</i>	EP 327 369 A2	8/9/89	Europe	—	—		
<i>DL</i>	WO 88/03168	5/5/88	WIPO	—	—		
<i>DL</i>	EP 246 882 A2	11/25/87	Europe	—	—		

OTHER DOCUMENTS

EXAMINER INITIAL		AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.
DSB		Alberts, T. (1994) Molecular Biology of the Cell, 3rd ed. (Garland Publishing, NY, USA) p. 1072.
DSB		Alberts, T. (1994) Molecular Biology of the Cell, 3rd ed. (Garland Publishing, NY, USA) pp. 1264-1265.
DSB		Angehrn, P. (1985) Antibacterial properties of carumonam (Ro 17-2301, AMA-1080), a new sulfonated monocyclic beta-lactam antibiotic. Chemotherapy 31:440-450.
DSB		Armelin, H.A., Armelin, M.C., Kelly, K., Stewart, T., Leder, P., Cochran, B.H. and Stiles, C.D. (1984) Functional role for c-myc in mitogenic response to platelet-derived growth factor. Nature 310:655-660.
DSB		Ashendel, C.L. (1985) The phorbol ester receptor: a phospholipid-regulated protein kinase. Biochim. Biophys. Acta 822:219-242.
DSB		Ashkenazi, A., Winslow, J.W., Peralta, E.G., Peterson, G.L., Schimerlik, M.I., Capon, D.J. and Ramachandran, J. (1987) An M2 muscarinic receptor subtype coupled to both adenylyl cyclase and phosphoinositide turnover. Science 238:672-675.
DSB		Bartus, H.R., Mirabelli, C.K., Auerbach, J.I., Shatzman, A.R., Taylor, D.P., Johnson, R.K., Rosenberg, M. and Crooke, S.T. (1984) Improved genetically modified Escherichia coli strain for prescreening antineoplastic agents. Antimicrob. Agents Chemother. 25:622-625.
DSB		Berridge, M.J., Downes, C.P. and Hanley, M.R. (1982) Lithium amplifies agonist-dependent phosphatidylinositol responses in brain and salivary glands. Biochem. J. 206:587-595.
DSB		Bollag, G.E., Roth, R.A., Beaudoin, J., Mochly-Rosen, D. and Koshland, D.E. Jr. (1986) Protein kinase C directly phosphorylates the insulin receptor in vitro and reduces its protein-tyrosine kinase activity. Proc. Natl. Acad. Sci. USA 83:5822-5824.
DSB		Boreiko, C., Mondal, S., Narayan, K.S. and Heidelberger, C. (1980) Effect of 12-O-tetradecanoylphorbol-13-acetate on the morphology and growth of C3H/10T1/2 mouse embryo cells. Cancer Res. 40:4709-4716.
DSB		Bradford, M.M. (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. Anal. Biochem. 72:248-254.
DSB		Brandt, S.J., Nidel, J.E., Bell, R.M. and Young, W.S. 3d (1987) Distinct patterns of expression of different protein kinase C mRNAs in rat tissues. Cell 49:57-63.
DSB		Brann, M.R., Buckley, N.J., Jones, S.V. and Bonner, T.I. (1987) Expression of a cloned muscarinic receptor in A9 L cells. Mol. Pharmacol. 32:450-455.
DSB		Camper, S.A., Yao, Y.A. and Rottman F.M. (1985) Hormonal regulation of the bovine prolactin promoter in rat pituitary tumor cells. J. Biol. Chem. 260:12246-12251.
DSB		Catino, J.J., Francher, D.M., Edinger, K.J. and Stringfellow, D.A. (1985) A microtitre cytotoxicity assay useful for the discovery of fermentation-derived antitumor agents. Cancer Chemother. Pharmacol. 15:240-243.
DSB		Chomczynski, P. and Sacchi, N. (1987) Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. Anal. Biochem. 162:156-159.

EXAMINER INITIAL		AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.
<i>Sal</i>		Chou, C.K., Dull, T.J., Russell, D.S., Gherzi, R., Lebowitz, D., Ullrich, A. and Rosen, O.M. (1987) Human insulin receptors mutated at the ATP-binding site lack protein tyrosine kinase activity and fail to mediate postreceptor effects of insulin. J. Biol. Chem. 262:1842-1847.
<i>Sal</i>		Clauser, E., Ellis, L., Morgan, D., Edery, M., Roth, R.A. and Rutter, W.J. (1987) The human insulin receptor cDNA: a new tool to study the function of this receptor. J. Recept. Res. 7:377-404.
<i>Sal</i>		Connan, G., Rassoulzadegan, M. and Cuzin, F. (1985) Focus formation in rat fibroblasts exposed to a tumour promoter after transfer of polyoma plt and myc oncogenes. Nature 314:277-279.
<i>Sal</i>		Coussens, L., Parker, P.J., Rhee, L., Yang-Feng, T.L., Chen, E., Waterfield, M.D., Francke, U. and Ullrich, A. (1986) Multiple, distinct forms of bovine and human protein kinase C suggest diversity in cellular signaling pathways. Science 233:859-866.
<i>Sal</i>		Croop, J.M., Guild, B.C., Gros, P. and Housman, D.E. (1987) Genetics of multidrug resistance: relationship of a cloned gene to the complete multidrug resistant phenotype. Cancer Res. 47:5982-5988.
<i>Sal</i>		Dailey, L. and Basilico, C. (1985) Sequences in the polyomavirus DNA regulatory region involved in viral DNA replication and early gene expression. J. Virol 54:739-749.
<i>Sal</i>		Daley, G.Q., McLaughlin, J., Witte, O.N. and Baltimore, D. (1987) The CML-specific P210 bcr/abl protein, unlike v-abl, does not transform NIH/3T3 fibroblasts. Science 237:532-535.
<i>Sal</i>		Darnell, J.E. et al. (1986) Molecular Cell Biology, Scientific American Books, Inc. p. 143.
<i>Sal</i>		Davis, R.J. and Czech, M.P. (1985) Platelet-derived growth factor mimics phorbol diester action on epidermal growth factor receptor phosphorylation at threonine-654. Proc. Natl. Acad. Sci. USA 82:4080-4084.
<i>Sal</i>		Dean, M., Cleveland, J.L., Rapp, U.R. and Ihle, J.N. (1987) Role of myc in the abrogation of IL3 dependence of myeloid FDC-P1 cells. Oncogene Res. 1:279-296.
<i>Sal</i>		Debouck, C., Gorniak, J.G., Strickler, J.E., Meek, T.D., Metcalf, B.W. and Rosenberg, M. (1987) Human immunodeficiency virus protease expressed in Escherichia coli exhibits autoprocessing and specific maturation of the gag precursor. Proc. Natl. Acad. Sci. USA 84:8903-8906.
<i>Sal</i>		Di Fiore, P.P., Pierce, J.H., Fleming, T.P., Hazan, R., Ullrich, A., King, C.R., Schlessinger, J. and Aaronson, S.A. (1987) Overexpression of the human EGF receptor confers an EGF-dependent transformed phenotype to NIH 3T3 cells. Cell 51:1063-1070.
<i>Sal</i>		Di Fiore, P.P., Pierce, J.H., Kraus, M.H., Segatto, O., King, C.R., Aaronson, S.A. (1987) erbB-2 is a potent oncogene when overexpressed in NIH/3T3 cells. Science 237:178-182.
<i>Sal</i>		Dixon, R.A., Sigal, I.S., Rands, E., Register, R.B., Candelore, M.R., Blake, A.D. and Strader, C.D. (1987) Ligand binding to the beta-adrenergic receptor involves its rhodopsin-like core. Nature 326:73-77.
<i>Sal</i>		Dotto, G.P., Parada, L.F. and Weinberg, R.A. (1985) Specific growth response of ras-transformed embryo fibroblasts to tumour promoters. Nature 318:472-475.

EXAMINER INITIAL		AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.
<i>Das</i>		Drebin, J.A., Link, V.C., Stern, D.F., Weinberg, R.A. and Greene, M.I. (1985) Down-modulation of an oncogene protein product and reversion of the transformed phenotype by monoclonal antibodies. <i>Cell</i> 41:695-706.
<i>Das</i>		Druege, P.M., Klein-Hitpass, L., Green, S., Stack, G., Chambon, P. and Ryffel, G.U. (1986) Introduction of estrogen-responsiveness into mammalian cell lines. <i>Nucleic Acids Res.</i> 14:9329-9337.
<i>Das</i>		Ebina, Y., Araki, E., Taira, M., Shimada, F., Mori, M., Craik, C.S., Siddle, K., Pierce, S.B., Roth, R.A. and Rutter, W.J. (1987) Replacement of lysine residue 1030 in the putative ATP-binding region of the insulin receptor abolishes insulin- and antibody-stimulated glucose uptake and receptor kinase activity. <i>Proc. Natl. Acad. Sci. USA</i> 84(3):704-708.
<i>Das</i>		Ebina, Y., Edery, M., Ellis, L., Standring, D., Beaudoin, J., Roth, R.A. and Rutter, W.J. (1985) Expression of a functional human insulin receptor from a cloned cDNA in Chinese hamster ovary cells. <i>Proc. Natl. Acad. Sci. USA</i> 82:8014-8018.
<i>Das</i>		Elespuru, R.K. and White, R.J. (1983) Biochemical prophage induction assay: a rapid test for antitumor agents that interact with DNA. <i>Cancer Res.</i> 43:2819-2830.
<i>Das</i>		Elespuru, R.K. and Yarmolinsky, M.B. (1979) A colorimetric assay of lysogenic induction designed for screening potential carcinogenic and carcinostatic agents. <i>Environ. Mutagen.</i> 1:65-78.
<i>Das</i>		Ellis, L., Clauser, E., Morgan, D.O., Edery, M., Roth, R.A. and Rutter, W.J. (1986) Replacement of insulin receptor tyrosine residues 1162 and 1163 compromises insulin-stimulated kinase activity and uptake of 2-deoxyglucose. <i>Cell</i> 45:721-732.
<i>Das</i>		Escobedo, J.A., Keating, M.T., Ives, H.E. and Williams, L.T. (1998) Platelet-derived growth factor receptors expressed by cDNA transfection couple to a diverse group of cellular responses associated with cell proliferation. <i>J. Biol. Chem.</i> 263:1482-1487.
<i>Das</i>		Fairbanks, K.P., Barbu, V.D., Witte, L.D., Weinstein, I.B. and Goodman, D.S. (1986) Effects of mevinolin and mevalonate on cell growth in several transformed cell lines. <i>J. Cell. Physiol.</i> 127:216-222.
<i>Das</i>		Farmerie, W.G., Loeb, D.D., Casavant, N.C., Hutchison, C.A. 3d, Edgell, M.H. and Swanstrom, R. (1987) Expression and processing of the AIDS virus reverse transcriptase in <i>Escherichia coli</i> . <i>Science</i> 236:305-308.
<i>Das</i>		Fraser, C.M., Chung, F.Z. and Venter, J.C. (1987) Continuous high density expression of human beta 2-adrenergic receptors in a mouse cell line previously lacking beta-receptors. <i>J. Biol. Chem.</i> 262:14843-14846.
<i>Das</i>		Freedman, V.H. and Shin, S.I. (1974) Cellular tumorigenicity in nude mice: correlation with cell growth in semi-solid medium. <i>Cell</i> 3:355-359.
<i>Das</i>		Freeman, A.E., Price, P.J., Igel, H.J., Young, J.C., Maryak, J.M. and Huebner, R.J. (1970) Morphological transformation of rat embryo cells induced by dimethylnitrosamine and murine leukemia viruses. <i>J. Natl. Cancer Inst.</i> 44:65-78.
<i>Das</i>		Fukuda, K., Kubo, T., Akiba, I., Maeda, A., Mishina, M., Numa, S. (1987) Molecular distinction between muscarinic acetylcholine receptor subtypes. <i>Nature</i> 327:623-625.

EXAMINER INITIAL		AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.
<i>gus</i>		Gallick et al. (1988) Specific Reduction in SRC Kinase Activity in HT-29 Humal Colorectal Carcinomal Cells Correlates with Growth Inhibition by Interperon and Tumor Necrosis Factor. UCLA Symposia on Meolecular & Cellular Biology Abstract D 207, January 17-January 30, 1988.
<i>gus</i>		Gherzi, R., Russell, D.S., Taylor, S.I. and Rosen, O.M. (1987) Reevaluation of the evidence that an antibody to the insulin receptor is insulinmimetic without activating the protein tyrosine kinase activity of the receptor. J. Bio.l Chem. 262:16900-16905.
<i>gus</i>		Giguere, V., Hollenberg, S.M., Rosenfeld, M.G. and Evans, R.M. (1986) Functional domains of the human glucocorticoid receptor. Cell 46:645-652.
<i>gus</i>		Gooding, L.R., Geib, R.W., O'Connell, K.A. and Harlow, E. (1984) Antibody and cellular detection of SV40 T-antigenic determinants on the surfaces of transformed cells. In Levine, A.J. et al. (Eds), Cancer Cells 1: The Transformed Phenotype pp. 263-269. (Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.)
<i>gus</i>		Goodman & Gilman, The Pharmacological Basis of Therapeutics, 9th ed. (1996) Chapter 2.
<i>gus</i>		Gould, K.L., Woodgett, J.R., Cooper, J.A., Buss, J.E., Shalloway, D. and Hunter, T. (1985) Protein kinase C phosphorylates pp60src at a novel site. Cell 42:849-857.
<i>gus</i>		Grabau, C.L. (1987) Genetic and biochemical characterization of the lipid-protein interactions of pyruvate oxidase. U. of Illinois Ph.D. Dissertation.
<i>gus</i>		Graham, F.L. and van der Eb, A.J. (1973) A new technique for the assay of infectivity of human adenovirus 5 DNA. Virology 52:456-467.
<i>gus</i>		Grieveson, A.P.H. (1987) Enhancement of extracellular enzyme secretion in Bacillus lichenformis NCIB 6346. Ph.D. Dissertation.
<i>gus</i>		Gunter, K.C., Kroczeck, R.A., Shevach, E.M. and Germain, R.N. (1986) Functional expression of the murine Thy-1.2 gene in transfected human T cells. J. Exp. Med. 163:285-300.
<i>gus</i>		Hapel, A.J., Vande Woude, G., Campbell, H.D., Young, I.G. and Robins, T. (1986) Generation of an autocrine leukaemia using a retroviral expression vector carrying the interleukin-3 gene. Lymphokine Res. 5:249-254.
<i>gus</i>		Honegger, A.M., Szapary, D., Schmidt, A., Lyall, R., Van Obberghen, E., Dull, T.J., Ullrich, A. and Schlessinger, J. (1987) A mutant epidermal growth factor receptor with defective protein tyrosine kinase is unable to stimulate proto-oncogene expression and DNA synthesis. Mol. Cell. Biol. 7:4568-4571.
<i>gus</i>		Horowitz, A.D., Greenebaum, E. and Weinstein, I.B. (1981) Identification of receptors for phorbol ester tumor promoters in intact mammalian cells and of an inhibitor of receptor binding in biologic fluids. Proc. Natl. Acad. Sci. USA 78:2315-2319.
<i>gus</i>		Housey, G.M., Kirschmeier, P., Garte, S.J., Burns, F., Troll, W. and Weinstein, I.B. (1985) Expression of long terminal repeat (LTR) sequences in carcinogen-induced murine skin carcinomas. Biochem. Biophys. Res. Commun. 127:391-398.
<i>gus</i>		Housey, G.M., O'Brian, C.A., Johnson, M.D., Kirschmeier, P. and Weinstein, I.B. (1987) Isolation of cDNA clones encoding protein kinase C: evidence for a protein kinase C-related gene family. Proc. Natl. Acad. Sci. USA 84:1065-1069.

EXAMINER INITIAL		AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.
<i>dal</i>		Housey, G.M., Johnson, M.D., Hsiao, W.L., O'Brian, C.A. and Weinstein, I.B. (1988) Structural and functional studies of protein kinase C. Adv. Exp. Med. Biol. 234:127-140.
<i>dal</i>		Housey, G.M., Johnson, M.D., Hsiao, W.L., O'Brian, C.A., Murphy, J.P., Kirschmeier, P. and Weinstein, I.B. (1988) Overproduction of protein kinase C causes disordered growth control in rat fibroblasts. Cell 52:343-354.
<i>dal</i>		Housey et al. (1988) Altered Growth Control and Enhanced Morphologic Response to Tumor Promoters in Rat Fibroblasts Stably Overproducing Protein Kinase C. UCLA Symposia on Molecular & Cellular Biology, Abstract C 224, January 17-January 30, 1988.
<i>dal</i>		Hsiao, W.-L.W., Gattoni-Celli, S. and Weinstein, I.B. (1984) Oncogene-induced transformation of C3H 10T1/2 cells is enhanced by tumor promoters. Science 226:552-555.
<i>dal</i>		Hsiao, W.-L.W., Wu, T., and Weinstein, I.B. (1986) Oncogene-induced transformation of a rat embryo fibroblast cell line is enhanced by tumor promoters. Mol. Cell. Biol. 6:1943-1950.
<i>dal</i>		Huang, J.S., Huang, S.S. and Deuel, T.F. (1984) Transforming protein of simian sarcoma virus stimulates autocrine growth of SSV-transformed cells through PDGF cell-surface receptors. Cell 39:79-87.
<i>dal</i>		Huang, K.-P., Nakabayashi, H. and Huang, F.L. (1986) Isozymic forms of rat brain Ca ²⁺ -activated and phospholipid-dependent protein kinase. Proc. Natl. Acad. Sci. USA 83:8535-8539.
<i>dal</i>		Hunter, T., Ling, N. and Cooper, J.A. (1984) Protein kinase C phosphorylation of the EGF receptor at a threonine residue close to the cytoplasmic face of the plasma membrane. Nature 311:480-483.
<i>dal</i>		Jaken, S. and Kiley, S.C. (1987) Purification and characterization of three types of protein kinase C from rabbit brain cytosol. Proc. Natl. Acad. Sci. USA 84:4418-4422.
<i>dal</i>		Jeng, A.Y., Srivastava, S.K., Lacal, J.C. and Blumberg, P.M. (1987) Phosphorylation of ras oncogene product by protein kinase C. Biochem. Biophys. Res. Commun. 145:782-788.
<i>dal</i>		Jetten, A.M., Barrett, J.C., Gilmer, T.M. (1986) Differential response to retinoic acid of Syrian hamster embryo fibroblasts expressing v-src or v-Ha-ras oncogenes. Mol. Cell. Biol. 6:3341-3348.
<i>dal</i>		Johnson, M.D., Housey, G.M., O'Brian, C.A., Kirschmeier, P.T., and Weinstein, I.B. (1987) Role of protein kinase C in regulation of gene expression and relevance to tumor promotion. Environ. Health. Perspect. 76:89-95.
<i>dal</i>		Johnson, M.D., Housey, G.M., Kirschmeier, P.T. and Weinstein, I.B. (1987) Molecular cloning of gene sequences regulated by tumor promoters and mitogens through protein kinase C. Mol. Cell. Biol. 7:2821-2829.
<i>dal</i>		Johnsson, A., Betsholtz, C., Heldin, C.H. and Westermark, B. (1985) Antibodies against platelet-derived growth factor inhibit acute transformation by simian sarcoma virus. Nature 317:438-440.
<i>dal</i>		Julius, D., Livelli, T.J., Jessell, T.M. and Axel, R. (1989) Ectopic expression of the serotonin 1c receptor and the triggering of malignant transformation. Science 244:1057-1062.
<i>dal</i>		Julius, D., MacDermott, A.B., Axel, R. and Jessell, T.M. (1988) Molecular characterization of a functional cDNA encoding the serotonin 1c receptor. Science 241:558-564.

EXAMINER INITIAL		AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.
<i>Das</i>		Kahn, C.R. and White, M.F. (1988) The insulin receptor and the molecular mechanism of insulin action. J. Clin. Invest. 82:1151-1156.
<i>Das</i>		Kajikawa, N., Kishimoto, A., Shiota, M. and Nishizuka, Y. (1983) Ca ²⁺ -dependent neutral protease and proteolytic activation of Ca ²⁺ -activated, phospholipid-dependent protein kinase. Methods. Enzymol. 102:279-290.
<i>Das</i>		Kasuga, M., Karlsson, F.A. and Kahn, C.R. (1982) Insulin stimulates the phosphorylation of the 95,000-dalton subunit of its own receptor. Science 215:185-187.
<i>Das</i>		Kawamoto, S. and Hidaka, H. (1984) 1-(5-Isoquinolinesulfonyl)-2-methylpiperazine (H-7) is a selective inhibitor of protein kinase C in rabbit platelets. Biochem. Biophys. Res. Commun. 125:258-264.
<i>Das</i>		Kikkawa, U., Takai, Y., Minakuchi, R., Inohara, S. and Nishizuka, Y. (1982) Calcium-activated, phospholipid-dependent protein kinase from rat brain. Subcellular distribution, purification, and properties. J. Biol. Chem. 257:13341-13348.
<i>Das</i>		Kikkawa, U., Miyake, R., Tanaka, Y., Takai, Y. and Nishizuka, Y. (1984) Protein Kinase C and the Mechanism of Action of Tumor Promoters. In Levine, A.J. et al. (Eds), Cancer Cells 1: The Transformed Phenotype pp. 239-244. (Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.)
<i>Das</i>		Kirschmeier, P.T., Housey, G.M., Johnson, M.D., Perkins, A.S. and Weinstein, I.B. (1988) Construction and characterization of a retroviral vector demonstrating efficient expression of cloned cDNA sequences. DNA 7:219-225.
<i>Das</i>		Knopf, J.L., Lee, M.H., Sultzman, L.A., Kriz, R.W., Loomis, C.R., Hewick, R.M. and Bell, R.M. (1986) Cloning and expression of multiple protein kinase C cDNAs. Cell 46:491-502.
<i>Das</i>		Kobilka, B.K., MacGregor, C., Daniel, K., Kobilka, T.S., Caron, M.G., Lefkowitz, R.J., et al. (1987) Functional activity and regulation of human β_2 -adrenergic receptors expressed in Xenopus oocytes. J. Biol. Chem. 262:15796-15802.
<i>Das</i>		Kraft, A.S., Reeves, J.A. and Ashendel, C.L. (1988) Differing modulation of protein kinase C by bryostatin 1 and phorbol esters in JB6 mouse epidermal cells. J. Biol. Chem. 263:8437-8442.
<i>Das</i>		Kraft, A.S. and Anderson, W.B. (1983) Characterization of cytosolic calcium-activated phospholipid-dependent protein kinase activity in embryonal carcinoma cells. Effect of retinoic acid-induced differentiation of F9 cells to parietal endoderm. J. Biol. Chem. 258:9178-9183.
<i>Das</i>		Krauss, R.S., Housey, G.M., Johnson, M.D. and Weinstein, I.B. (1989) Disturbances in growth control and gene expression in a C3H/10T1/2 cell line that stably overproduces protein kinase C. Oncogene 4:991-998.
<i>Das</i>		Laemmli, U. K. (1970) Cleavage of Structural Proteins during the Assembly of the Head of Bacteriophage T4. Nature 227, 680-685.
<i>Das</i>		Lang, R.A., Metcalf, D., Gough, N.M., Dunn, A.R. and Gonda, T.J. (1985) Expression of a hemopoietic growth factor cDNA in a factor-dependent cell line results in autonomous growth and tumorigenicity. Cell 43:531-542.
<i>Das</i>		Leach, K.L., James, M.L. and Blumberg, P.M. (1983) Characterization of a specific phorbol ester aporeceptor in mouse brain cytosol. Proc. Natl. Acad. Sci. USA 80:4208-4212.

EXAMINER INITIAL		AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.
<i>Gas</i>		Lee, F., Yokota, T., Otsuka, T., Gemmell, L., Larson, N., Luh, J., Arai, K. and Rennick, D. (1985) Isolation of cDNA for a human granulocyte-macrophage colony-stimulating factor by functional expression in mammalian cells. Proc. Natl. Acad. Sci. USA 82:4360-4364.
<i>Gas</i>		Lippman, S.M., Kessler, J.F. and Meyskens, F.L. Jr. (1987) Retinoids as preventive and therapeutic anticancer agents (Part I). Cancer Treat. Rep. 71:391-405.
<i>Gas</i>		Livneh, E., Prywes, R., Kashles, O., Reiss, N., Sasson, I., Mory, Y., Ullrich, A. and Schlessinger, J. (1986) Reconstitution of human epidermal growth factor receptors and its deletion mutants in cultured hamster cells. J. Biol. Chem. 261:12490-12497.
<i>Gas</i>		Lusky, M. and Botchan, M. (1981) Inhibition of SV40 replication in simian cells by specific pBR322 DNA sequences. Nature 293:79-81.
<i>Gas</i>		Maddon, P.J., Dalgleish, A.G., McDougal, J.S., Clapham, P.R., Weiss, R.A. and Axel, R. (1986) The T4 gene encodes the AIDS virus receptor and is expressed in the immune system and the brain. Cell 47:333-348.
<i>Gas</i>		Makowske, M., Birnbaum, M.J., Ballester, R. and Rosen, O.M. (1986) A cDNA encoding protein kinase C identifies two species of mRNA in brain and GH3 cells. J. Biol. Chem. 261:13389-13392.
<i>Gas</i>		Maniatis, T., Fritsch, E.F. and Sambrook, J. eds. (1983) in Molecular Cloning: A Laboratory Manual (Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.)
<i>Gas</i>		Mann, R., Mulligan, R.C. and Baltimore, D. (1983) Construction of a retrovirus packaging mutant and its use to produce helper-free defective retrovirus. Cell 33:153-159.
<i>Gas</i>		Masui, T., Wakefield, L.M., Lechner, J.F., LaVeck, M.A., Sporn, M.B. and Harris, C.C. (1986) Type beta transforming growth factor is the primary differentiation-inducing serum factor for normal human bronchial epithelial cells. Proc. Natl. Acad. Sci. USA 83:2438-2442.
<i>Gas</i>		Meijlink, F., Curran, T., Miller, A.D. and Verma, I.M. (1985) Removal of a 67-base-pair sequence in the noncoding region of protooncogene fos converts it to a transforming gene. Proc. Natl. Acad. Sci. USA 82:4987-4991.
<i>Gas</i>		Metcalf, D. (1985) The granulocyte-macrophage colony-stimulating factors. Science 229:16-22.
<i>Gas</i>		Metcalf, D., Roberts, T.M., Cherington, and V. Dunn, A.R. (1987) The in vitro behavior of hemopoietic cells transformed by polyoma middle T antigen parallels that of primary human myeloid leukemic cells. EMBO J. 6:3703-3709.
<i>Gas</i>		Nishizuka, Y. (1984) The role of protein kinase C in cell surface signal transduction and tumour promotion. Nature 308:693-698.
<i>Gas</i>		Nishizuka, Y. (1986) Studies and perspectives of protein kinase C. Science 233:305-312.
<i>Gas</i>		O'Brian, C.A., Lawrence, D.S., Kaiser, E.T. and Weinstein, I.B. (1984) Protein kinase C phosphorylates the synthetic peptide Arg-Arg-Lys-Ala-Ser-Gly-Pro-Pro-Val in the presence of phospholipid plus either Ca ²⁺ or a phorbol ester tumor promoter. Biochem. Biophys. Res. Commun. 124:296-302.

EXAMINER INITIAL		AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.
<i>Sal</i>		O'Brian, C.A., Arcoleo, J.P., Housey, G.M. and Weinstein, I.B. (1985) Studies on protein kinase C and their relevance to tumor promotion. In Levine, A.J. et al. (Eds), Cancer Cells 3: Growth Factors and Transformation pp. 359-363. (Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.)
<i>Sal</i>		O'Brian, C.A., Liskamp, R.M., Solomon, D.H. and Weinstein, I.B. (1985) Inhibition of protein kinase C by tamoxifen. Cancer Res. 45:2462-2465.
<i>Sal</i>		Ohno, S., Kawasaki, H., Imajoh, S., Suzuki, K., Inagaki, M., Yokokura, H., Sakoh, T. and Hidaka, H. (1987) Tissue-specific expression of three distinct types of rabbit protein kinase C. Nature 325:161-166.
<i>Sal</i>		Ono, Y., Kurokawa, T., Fujii, T., Kawahara, K., Igarashi, K., Kikkawa, U., Ogita, K. and Nishizuka, Y. (1986) Two types of complementary DNAs of rat brain protein kinase C. Heterogeneity determined by alternative splicing. FEBS Lett. 206:347-352.
<i>Sal</i>		Ono, Y., Kikkawa, U., Ogita, K., Fujii, T., Kurokawa, T., Asaoka, Y., Sekiguchi, K., Ase, K., Igarashi, K. and Nishizuka, Y. (1987) Expression and properties of two types of protein kinase C: alternative splicing from a single gene. Science 236:1116-1120.
<i>Sal</i>		Parker, P.J., Coussens, L., Totty, N., Rhee, L., Young, S., Chen, E., Stabel, S., Waterfield, M.D. and Ullrich, A. (1986) The complete primary structure of protein kinase C--the major phorbol ester receptor. Science 233:853-859.
<i>Sal</i>		Perkins, A.S., Kirschmeier, P.T., Gattoni-Celli, S. and Weinstein, I.B. (1983) Design of a retrovirus-derived vector for expression and transduction of exogenous genes in mammalian cells. Mol. Cell. Biol. 3:1123-1132.
<i>Sal</i>		Pontremoli, S., Melloni, E., Michetti, M., Sparatore, B., Salamino, F., Sacco, O. and Horecker, B.L. (1987) Phosphorylation and proteolytic modification of specific cytoskeletal proteins in human neutrophils stimulated by phorbol 12-myristate 13-acetate. Proc. Natl. Acad. Sci. USA 84:3604-3608.
<i>Sal</i>		Pritchett, D.B., Bach, A.W., Wozny, M., Taleb, O., Dal Toso, R., Shih, J.C. and Seeburg, P.H. (1988) Structure and functional expression of cloned rat serotonin 5HT-2 receptor. EMBO J. 7:4135-4140.
<i>Sal</i>		Prywes, R., Livneh, E., Ullrich, A. and Schlessinger, J. (1986) Mutations in the cytoplasmic domain of EGF receptor affect EGF binding and receptor internalization. EMBO J. 5:2179-2190.
<i>Sal</i>		Quillardet, P., Huisman, O., D'Ari, R. and Hofnung, M. (1982) SOS chromotest, a direct assay of induction of an SOS function in Escherichia coli K-12 to measure genotoxicity. Proc. Natl. Acad. Sci. USA 79:5971-5975.
<i>Sal</i>		Riedel, H., Schlessinger, J., Ullrich, A. (1987) A chimeric, ligand-binding v-erbB/EGF receptor retains transforming potential. Science 236:197-200.
<i>Sal</i>		Rosenthal, A., Lindquist, P.B., Bringman, T.S., Goeddel, D.V. and Derynck, R. (1986) Expression in rat fibroblasts of a human transforming growth factor-alpha cDNA results in transformation. Cell 46:301-309.
<i>Sal</i>		Roth, C.W., Singh, T., Pastan, I. and Gottesman, M.M. (1982) Rous sarcoma virus transformed cells are resistant to cyclic AMP. J. Cell Physiol. 111:42-48.

EXAMINER INITIAL		AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.
<i>Gas</i>		Rubin, L.A., Hoekzema, G.S., Nelson, D.L., Greene, W.C. and Jay, G. (1987) Reconstitution of a functional interleukin 2 receptor in a nonlymphoid cell. J. Immunol. 139:2355-2360.
<i>Gas</i>		Sakai, Y., Kimura, and H. Okamoto, K. (1986) Pharmacological characterization of serotonin receptor induced by rat brain messenger RNA in Xenopus oocytes. Brain Res. 362:199-203.
<i>Gas</i>		Shah, D.M., Horsch, R.B., Klee, H.J., Kishore, G.M., Winter, J.A., Tumer, H.J., Hironaka, C.M., Sanders, P.R., Gasser, C.S., Aykent, S., Sigel, N.R., Rogers, S.G. and Fraley, R.T. (1986) Engineering herbicide tolerance in transgenic plants. Science 233:478-481.
<i>Gas</i>		Sibley, D.R., Benovic, J.L., Caron, M.G. and Lefkowitz, R.J. (1987) Regulation of transmembrane signaling by receptor phosphorylation. Cell 48:913-922.
<i>Gas</i>		Sorrentino, V., Drozdoff, V., McKinney, M.D., Zeitz, L. and Fleissner, E. (1986) Potentiation of growth factor activity by exogenous c-myc expression. Proc. Natl. Acad. Sci. USA 83:8167-8171.
<i>Gas</i>		Stabel, S., Rodriguez-Pena, A., Young, S., Rozengurt, E. and Parker, P.J. (1987) Quantitation of protein kinase C by immunoblot--expression in different cell lines and response to phorbol esters. J. Cell. Physiol. 130:111-117.
<i>Gas</i>		Stern, D.F., Roberts, A.B., Roche, N.S., Sporn, M.B. and Weinberg, R.A. (1986) Differential responsiveness of myc- and ras-transfected cells to growth factors: selective stimulation of myc-transfected cells by epidermal growth factor. Mol. Cell. Biol. 6:870-877.
<i>Gas</i>		Takahashi, T., Kuno, M., Mishina, M., Numa, S. (1985) A physiological study on acetylcholine receptor expressed in Xenopus oocytes from cloned cDNAs. J. Physiol. (Paris) 80:229-232.
<i>Gas</i>		Takeuchi, M., Sato, Y. and Nitta, K. (1984) An in vitro screening method for antitumor and/or antitumorigenic substances involving the transformation of chick embryo fibroblasts infected with Rous sarcoma virus. J. Antibiot. (Tokyo) 37:235-238.
<i>Gas</i>		Uehara, Y., Hori, M., Takeuchi, T. and Umezawa, H. (1985) Screening of agents which convert 'transformed morphology' of Rous sarcoma virus-infected rat kidney cells to 'normal morphology': identification of an active agent as herbimycin and its inhibition of intracellular src kinase. Jpn. J. Cancer Res. 76:672-675.
<i>Gas</i>		Uehara, Y., Hori, M., Takeuchi, T. and Umezawa, H. (1986) Phenotypic change from transformed to normal induced by benzoquinonoid ansamycins accompanies inactivation of p60src in rat kidney cells infected with Rous sarcoma virus. Mol. Cell. Biol. 6:2198-2206.
<i>Gas</i>		Uehara, Y. (1986) Cancer gene inhibitor and its screening. Oncologia 19:90-93. (in Japanese with accompanying English translation)
<i>Gas</i>		Uehara, Y. and Hori, Y. (1987) An approach to developing anti tumor agents by using the cells expressing particular oncogenes. Taisha 24:197-203. (in Japanese with accompanying English translation)
<i>Gas</i>		Ullrich, A., Coussens, L., Hayflick, J.S., Dull, T.J., Gray, A., Tam, A.W., Lee, J., Yarden, Y., Libermann, T.A., Schlessinger, J., Downward, J., Mayes, E.L.V., Whittle, N., Waterfield, M.D. and Seeburg, P.H. (1984) Human epidermal growth factor receptor cDNA sequence and aberrant expression of the amplified gene in A431 epidermoid carcinoma cells. Nature 309:418-425.

EXAMINER INITIAL		AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.
<i>Wus</i>		Von Hoff, D.D., Forseth, B. and Warfel, L.E. (1985) Use of a radiometric system to screen for antineoplastic agents: correlation with a human tumor cloning system. Cancer Res. 45:4032-4038.
<i>Wus</i>		Walton, G.M., Bertics, P.J., Hudson, L.G., Vedvick, T.S. and Gill, G.N. (1987) A three-step purification procedure for protein kinase C: characterization of the purified enzyme. Anal. Biochem. 161:425-437.
<i>Wus</i>		Weinstein, I.B., Gattoni-Celli, S., Kirschmeier, P., Lambert, M., Hsiao, W., Backer, J. and Jeffrey, A. (1984) Multistage carcinogenesis involves multiple genes and multiple mechanisms. In Levine, A.J. et al. (Eds), Cancer Cells 1: The Transformed Phenotype pp. 229-237 (Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.)
<i>Wus</i>		Weinstein I.B., O'Brian, C.A., Housey, G.M., Johnson, M.D., Kirschmeier, P. and Hsiao, W. (1987) Studies on the mechanism of action of protein kinase C and the isolation of molecular clones encoding the enzyme. Symp. Fundam. Cancer Res. 39:173-183.
<i>Wus</i>		Weinstein, I.B. (1987) Growth factors, oncogenes, and multistage carcinogenesis. J. Cell. Biochem. 33:213-224.
<i>Wus</i>		White, M.F., Livingston, J.N., Backer, J.M., Lauris, V., Dull, T.J., Ullrich, A. and Kahn, C.R. (1988) Mutation of the insulin receptor at tyrosine 960 inhibits signal transmission but does not affect its tyrosine kinase activity. Cell 54:641-649.
<i>Wus</i>		Wigler, M., Silverstein, S., Lee, L.-S., Pellicer, A., Cheng, Y.-C. and Axel, R. (1977) Transfer of purified herpes virus thymidine kinase gene to cultured mouse cells. Cell 11:223-232.
<i>Wus</i>		Woodgett, J.R., Gould, K.L. and Hunter, T. (1986) Substrate specificity of protein kinase C. Use of synthetic peptides corresponding to physiological sites as probes for substrate recognition requirements. Eur. J. Biochem. 161:177-184.
<i>Wus</i>		Yokota, T., Lee, F., Rennick, D., Hall, C., Arai, N., Mosmann, T., Nabel, G., Cantor, H. and Arai, K. (1984) Isolation and characterization of a mouse cDNA clone that expresses mast-cell growth-factor activity in monkey cells. Proc. Natl. Acad. Sci. USA 81:1070-1074.
<i>Wus</i>		Young, S., Parker, P.J., Ullrich, A. and Stabel, S. (1987) Down-regulation of protein kinase C is due to an increased rate of degradation. Biochem. J. 244:775-779.
<i>Wus</i>		Yu, V.C., Richards, M.L. and Sadee, W. (1986) A human neuroblastoma cell line expresses mu and delta opioid receptor sites. J. Biol. Chem. 261:1065-1070.
<i>Wus</i>		Work, T.S., Work E., Laboratory Techniques in Biochemistry and Molecular Biology, Elsevier Biomedical Press (1982).

EXAMINER <i>David A. Saunders</i>	DATE CONSIDERED <i>8/25/00</i>
EXAMINER: Initial if citation considered, whether or not citation is in conformance with M.P.E.P. 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	